

Index

By Variable Label: Name

Action taken to change the official manner: KAction	12-6
Address: ResAddres	3-12
Age at time of incident: GAge1	12-29
Age unit: AgeTyp	3-6
Age: Age	3-6
Alcohol dependence: Alcoh	6-10
Alcohol test results: AlchRs	5-14
American Indian: AmerIndian	3-9
Amphetamine test results: AmphRs	5-17
Antidepressant test results: AntiRs	5-17
Argument over money/property: Argue	7-3
Asian: Asian	3-9
Associated with another crime: Crime.	7-11
At person's home: Reside	5-6
Autopsy performed: Autpsy	4-16
Barriers to accessing mental health care: BarAcsTr	12-9
Birth place text: BthTxt.	4-4
Birth place: BthPlc	4-4
Black: Black	3-9
Blood alcohol concentration results: BAC	5-13
Brawl (mutual physical fight): Brawl	7-18
Bullet recovered: Bullet	17-5
Bullet ricochet: Richo	8-6
C/ME records: KRecME	12-27
Carbon monoxide source, if CO: COSrc	17-19
Caretaker of victim: CareTk	14-5
Cartridge specification: Cartr	17-10
Case status: CaseStat	1-5
Casing recovered: CaseRem	17-5
Cause leading to immediate cause text: CausIB	4-12
Celebratory firing: Celeb	8-3
CFR Additional Information: CFRT	1-14
CFR concluded the death was preventable: KPrevent	12-6
CFR conclusion matches official manner of death: KConclud	12-6
CFR records available on victim: KCFR	12-3
Circumstances known: Circ	6-3
City of firearm first purchase: FPurPl	16-4
City of injury FIPS code: InjPlace	4-24
City: Place	3-12
Cleaning gun: Clean	8-3
Cocaine test results: CokeRs	5-17
Code for poison: PCode	17-17
Country: Countr.	3-12
County of injury: County	5-5
County: ResCounty	3-12
CPS case opened on other kids due to this death: KCPSOpen	12-15
CPS report or referral ever filed on the suspect: CPSRpFil	12-4

Index

Crisis in past 2 wks: Crisis	6-16
Current depressed mood: Depres	6-4
Current mental health problem: Mental	6-5
Current occupation: Occup	5-9
Current treatment for mental illness: TxMent	6-8
Date entered data checked: DtChk	2-3
Date of birth: DOB	3-6
Date of death: DthDt	4-9
Date of firearm first purchase: FPDate	16-3
Date of injury: Idate	4-19
Date record abstracted/imported: DtAbst	2-3
Date record received: DtRecd	2-3
Date record requested/expected/sought: DtReqs	2-3
Date record rerequested/re-searched: DtReReqs	2-3
Date specimens were collected: SpcDt	5-11
Date supervisor checked incident: DtSuper	1-8
Date supervisor rechecked incident: DtReSuper	1-8
Death Certificate number: DthCrtNum	4-3
Death type: IncTyp	13-3
Disclosed intent to commit suicide: SuiInt	6-13
Document determined to be unavailable: DocUnav	2-3
Document notes field: DocTxt	2-3
Document type: DocTyp	2-3
Dropped gun: DropGun	8-6
Drug-related: Drug	7-8
Education : Educ	4-28
EMS at scene: EMS	5-7
EMS records: KRecEMS	12-27
Estimated amount of liquid poison ingested (ml): Vol	17-19
Ever treated for mental illness: HistMental	6-8
Evidence of ongoing abuse: Abuse	14-5
Financial problem: FinProb	6-23
Firearm caliber: Calib	17-10
Firearm gauge: Gauge	17-10
Firearm importer's city: ImpCt	16-6
Firearm importer's name: ImpNm	16-6
Firearm importer's state: ImpSt	16-6
Firearm information known: Fknown	17-3
Firearm model text: MoTxt	17-9
Firearm model: Model	17-9
Firearm serial number: Serial	17-13
Firearm stolen: Stoln	16-8
Firearm trace attempted: Trace	17-23
Firearm type: FType	17-6
Fired while holstering/unholstering: Holst	8-6
Fired while operating safety/lock: Engag	8-6
First external cause of injury code from hospital: HECd9a	11-4
First name: FName	3-4
First other crime in progress: InProg	7-15

First purchaser: Fpurc	18-3
Gang related: Gang	7-10
Gun defect or malfunction: Defct	8-6
Gun mistaken for toy: Toy	8-6
Gun owner: Owner	17-15
Gun recovered: GunRec	17-5
Gun stored loaded: Loaded	17-15
Gun stored locked: Locked	17-15
Had a previous child die in his/her care: GDeath1	12-29
Had documented history of maltreating: GCAN1	12-29
Had legal custody of victim at time of death: GCustody1	12-29
Hate crime: Hate	7-18
Health Provider/Hospital records: KRecMD	12-27
Hispanic/Latino/Spanish: Ethnic	3-11
History of inpatient psychiatric treatment: HstPsyTr	12-9
History of suicide attempts: SuiHst	6-15
Homeless status: Homles	5-8
Household's contact with police: KLawHous	12-17
Hunting: Hunt	8-3
If no, manner the CFR designated: KManner	12-6
If yes, caregiver's ID in the incident: GpersID1	12-29
If yes, child witness: ChldWit	1-13
If yes, CPS report filed on whom: KCPSWho	12-15
If yes, disability was developmental: KDisDev	12-11
If yes, disability was physical: KDisPhy	12-11
If yes, disability was sensory: KdisSens	12-11
If yes, report substantiated: KCPSTrue	12-15
If yes, specify diagnosis: KillTxt	12-11
Immediate cause of death text: CausIA	4-12
Incident ID: IncID	1-4
Injured at work: AtWork	4-22
Intervener assisting crime victim: Interv	7-18
Intimate partner problem: IPProb	6-19
Intimate partner violence in victim's foster home: KDVFos	12-21
Intimate partner violence in victim's household: KDV	12-21
Intimate partner violence related: IPV	7-5
Intoxication suspected: Intox	5-12
Jealousy (lovers'triangle: Jealous	7-4
Job problem: Job	6-21
Justifiable self defense/law enforcement: Defens	7-16
Juvenile Justice records: KRecJuv	12-27
Kind of business/industry code: Indust	4-30
Last name: LName	3-4
Loading/unloading gun: LoadGun	8-3
Lower bound, number of pills ingested: Plow.	17-19
Make or NCIC code: Make	17-8
Manner of death: Manner	4-18
Marijuana test results: MarjRs	5-17
Marital status: MarStat	4-7

Maternal alcohol use: KPNAlcoh	12-13
Maternal recreational drug use: KPNSubs	12-13
Maternal tobacco use: KPNTob	12-13
Mental Health Records: KRecPsy	12-27
Mercy killing: Mercy	7-18
Middle name: MName	3-4
Multiple conditions on death certificate (Mult1001 – Mult1020)	4-34
Name of poison: PoisonTxt	17-17
Narrative of the incident: IncNarr.	1-10
Nature of first other crime: NtCrm1	7-13
Nature of second other crime: NtCrm2	7-13
Neglect substantiated: KCPSNeg	12-15
New living situation in past month: KresNew	12-19
Next antecedent cause of death text: CausIC	4-12
Not protected from known hazard: KsupHaz	12-24
Number of bullets that hit victim: NumBul	4-32
Number of nonfatally shot persons in incident: NumInjure	1-9
Number of persons in incident: NumPersons.	1-6
Number of person-weapon relationship records in incident: NumPWRels	1-6
Number of source documents in incident: NumSrDocs	1-6
Number of victim-suspect relationship records in incident: NumVSReIs	1-6
Number of weapons in incident: NumWeapons	1-6
Number of wounds: NumWou	4-32
Number years education: OldEduc	4-28
Opiate test results: OpiRs	5-17
Other argument: OthArg	7-7
Other children <18 yrs in household: KKids	12-21
Other context of injury: OthAcc	8-3
Other death of friend or family: FamDeath	6-25
Other drug test results: OtDrRs	5-17
Other firearm make text: MkTxt	17-8
Other firearm type text: TyTxt	17-6
Other homicide circumstance (specify): Other	7-18
Other legal problems: Legal	6-27
Other mechanism of injury: FOth	8-6
Other mental health diagnosis: MenTxt	6-6
Other records: KRecOth	12-27
Other relationship problem: Relat	6-20
Other substance dependence or abuse: Subst	6-10
Other suicide circumstance: SuiOth	6-30
Other supervisory factor: KSupOther	12-24
Other weapon information: OthWeap	15-3
Other: OtherRace	3-9
Pacific Islander: PacIsland	3-9
Patient drug obtained for: Patnt	17-19
Perpetrator of interpersonal violence past mo.:	6-28
Person attempted suicide after incident: Suic	5-3
Person killed with this weapon: WUser	18-4
Person left a suicide note: SNote	6-12

Person type: PType	3-3
Person was pregnant: Preg	4-17
Person who entered record: UserID	2-3
Person's sex: Sex	3-8
Physical abuse substantiated: KCPSPhys	12-15
Physical health problem: Health	6-18
Place of death if other: PDthTx	4-8
Place of death: Dthplace	4-8
Playing with gun: Play	8-3
Police/Law Enforcement records: KRecLaw	12-27
Prenatal care prior to the 3rd trimester: KPNCare	12-13
Primary caregiver a victim or suspect in the incident: GPerson1	12-29
Primary caregiver on welfare/financial assistance: KWelfare	12-17
Prior CPS report on the victim's household: KCPSRept	12-15
Public Health Department records: KRecDOH1	12-27
Quality of supervision contributed to death: KSuper	12-24
Recent criminal legal problem: RecCrm	6-26
Recent suicide of friend or family: RecSui	6-24
Relationship to victim: GRel1	12-29
Result of action: KResult	12-6
Scene investigation by law enforcement: ScenLaw	1-12
Scene investigation by the C/ME: ScenME	1-12
School problem: School	6-22
School records: KRecEdu	12-27
Second external cause of injury code from hospital: HECd9b	11-4
Self-defensive shooting: SelfDef	8-3
Sex: GSex1	12-29
Sexual abuse substantiated: KCPSSex	12-15
Showing gun to others: Show	8-3
SHR circumstance: Scirc	10-3
SHR homicide type: HomTyp	10-6
SHR justifiable homicide circumstance: JustSCirc	10-7
SHR relationship of victim to suspect: SRelat	14-7
SHR situation: Situat	10-5
Site ID: SiteID	1-3
Size of pill (mg): Psize	17-19
Social Security #: SSN	3-5
Source agency requested from: SrAgen	2-3
Source agency's internal record number: AgenNum	2-3
Specific person suspected: SusIdent	12-4
Specify (what other records): KrecTxt	12-27
SS/CPS records: KRecCPS	12-27
State of death: DthState	4-10
State of firearm first purchase: FPSt	16-4
State of injury FIPS code: InjState	4-24
State: ResState	3-12
Street and number of injury site: InjAddres	4-24
Substance abuse in victim's foster home: KsubsFos	12-21
Substance abuse in victim's household: Ksu	12-21

Index

Supervisor alcohol-impaired: KSupEtoh	12-24
Supervisor asleep: KSupdoze	12-24
Supervisor distracted: KSupBusy	12-24
Supervisor drug-impaired: Ksupdrug	12-24
Supervisor mentally ill: KSuppsych	12-24
Supervisor mentally retarded: KSupMr	12-24
Supervisor note field: SuperTxt	1-8
Supervisor physically disabled: KSupDis	12-24
Supervisor's age: KSupAge	12-24
Supervisor's relationship to victim: KSupRel	12-24
Supervisor's sex: KsupSex	12-24
Survival time no. of units: Surviv	4-27
Suspect arrested as perp in this death: SArrest	12-4
Suspect charged as perp in this death: SusChg	12-4
Suspect convicted: SConvict	12-4
Suspect ever charged with a prior homicide:SusPrHomi	12-4
Suspect prosecuted: SusPros	12-4
Taking psychiatric med. at time of death: PsyMed	12-9
Target shooting: Miss	8-3
Terrorist attack: Terror	7-18
Testing for alcohol: AlchTs	5-14
Testing for amphetamines: AmphTs	5-15
Testing for antidepressants: AntiTs	5-15
Testing for cocaine: CokeTs	5-15
Testing for marijuana: MarjTs	5-15
Testing for opiate(s): OpiaTs	5-15
Testing for other drugs: OtDrTs	5-15
Text to specify other manner: KMannTxt	12-6
Thought gun was unloaded, other: Unloa	8-6
Thought safety was engaged: Safety	8-6
Thought unloaded: magazine disengaged: UnlMg	8-6
Time of injury: Itime	4-19
Time specimens were collected: SpcTme	5-11
Type of first mental illness treated: MDiag1	6-6
Type of location where injured: LocTyp	4-20
Type of other drug: OthDrg	5-17
Type of poison: Poison	17-17
Type of residence in which victim lived: KResType	12-19
Type of second mental illness treated: MDiag2	6-6
Type of VS social relationship 1: Rela1	14-3
Type of VS violence relation: VSRel	14-7
Underlying cause of death code: ICD_10	4-13
Underlying cause of death text: CausID	4-12
Unintentionally pulled trigger: Pull	8-6
Unit of time used in survival time: Sunit	4-27
Unspecified: Unspecified	3-9
Upper bound, number of pills ingested: Phigh	17-19
US Census block group of injury: CnsBlk	4-24
US Census block group: CensBlk	3-12

US Census tract: CensSt	3-12
Usual industry text: IndTxt	4-30
Usual occupation code: UsuOcc	4-30
Usual occupation text: UsOcTx	4-30
Veteran status: Vetran	4-6
Victim admitted to inpatient care: Hosp	11-3
Victim contact with juvenile justice system: KJuv	12-17
Victim contact with Medicaid: KMedicaid	12-17
Victim contact with mental health services: KMHServ	12-17
Victim contact with police: KLawVict	12-17
Victim contact with the health care system: KHealth	12-17
Victim contact with WIC: KWIC	12-17
Victim had a physical illness at time of injury: KIllnes	12-11
Victim had disability at time of injury: KDisable	12-11
Victim in custody when injured: Custody	5-10
Victim of interpersonal violence past mo.: PIPVVict	6-29
Victim relationship to adult 1 in household: KAdult1	12-21
Victim relationship to adult 2 in household: KAdult2	12-21
Victim relationship to adult 3 in household: KAdult3	12-21
Victim relationship to adult 4 in household: KAdult4	12-21
Victim seen in ED: EmDep	11-3
Victim used weapon: UsedWeap	7-21
Victim was a bystander: Bystd	7-18
Victim was a police officer on duty: PolOff	7-18
Victim/ primary caregiver contact with socialservices: KSocial	12-17
Weapon killed this person: WUsedOn	18-4
Weapon type: WType	15-3
White: White	3-9
Witness(es) to fatal incident: Witness	1-13
Wound to the abdomen: Abdomn	4-32
Wound to the face: Face	4-32
Wound to the head: Head	4-32
Wound to the lower extremity: LowExt	4-32
Wound to the neck: Neck	4-32
Wound to the spine: Spine	4-32
Wound to the thorax: Thorax	4-32
Wound to the upper extremity: UpExt	4-32
Youth gun access narrative: YthNarr	17-15
ZIP code of injury: Zip	5-5
ZIP code: ResZip	3-12

